

Installation Instructions

Ground Fixed

Papilio Bells
Page 1 of 5



Instrument Components:

x4

M8 Barrel Nuts

x4

Eye Straps

x8 x4


M6x20mm Secure Screw M8 Square Nut

x4 x4

M6x12mm Secure Screw M8 Nyloc Nut

Metric Conversion:
250mm/ 10"
550mm/ 22"
1240mm/ 49"
1.5m/ 59"

(1.1)



1. Attach M10x150 Bar and Nuts to each of the 3 Legs.
(1.1) (See Assembly Guide)


2. Use wooden jig to mark out hole positions for each of the 3 legs in desired location upon decision from customer. .

3. Excavate 3 holes for the Steel legs **250mm diameter by 550mm deep.** (See GF Post Installation Sheet)

4. Locate (lower) legs into holes making sure they are vertical and level and use jig to check positioning


5. Once happy with location of the Instrument, **fill** hole using rapid hardening **concrete.** Be sure to compact concrete around legs and leave to dry according to manufactures guidelines, making sure to leave jig in place until set.

6. Once concrete has set, remove wooden jig and install notes using Fixings provided. Finally install beaters using fixings provided.
(See Assembly Guide)




Install Instrument with 1.5m free space (from widest point) around it.

CAUTION: Papilio surface can get hot in direct sunlight, if possible install in shaded areas.



Weight of heaviest part **13kg** (Notes)



Pair Small Red Beaters X4

Ground Fix Components:

x6
M10x150 Bolt

x12
M10 Nut



Spares available from
www.musical-play.com or
from your local distributor

36 Kg

Assembly Guide PPBUTR



Tools:

 x1
 x1


TX 30 Driver Bit TX 40 Driver Bit

Ground Fixed
Papilio Bells
Page 2 of 5




- Instrument Components:
-  x4
 -  x4
 -  x8
 -  x4
 -  x4
 -  x4

Thread Lock Solution
Required (Not Supplied)



CAUTION: Papilio Bells surface can get hot in direct sunlight, if possible install in shaded areas.



- COMPONENTS LIST:
-  M10 Nut X12
 -  M10x150 Threaded Bar X6
 -  Saddle Strap X4
 -  M6x20 Pin torx X8
 -  M8 Barrel Nut Pin torx X4
 -  M8 Nyloc nut X4
 -  M6x12 Pin torx X4



Pair Small Red Beaters X4

Ground Fix Components:

-  x6
 -  x12
- M10x150 Bolt M10 Nut

Spares available from
www.musical-play.com or
from your local distributor

15 Kg

Ground Fix Post Installation

Ground Fixed


Papilio Bells
Page 3 of 5



Components:

- x6
M10x150 Bolt
- x12
M10 Nut

Metric Conversion:
50mm/2"
220mm/8 21/32"
250mm/10"
350mm/14"
550mm/22"
600mm/24"
1200mm/3ft 11 1/4"
2400mm/7ft 10 31/64"



Using Wooden Jig provided Excavate 3 holes with a 250mm diameter tapering down to 350mm diameter and 600mm depth

550mm min depth

Ground Fix Post Installation

Foundations should not present a hazard. These foundations are recommended as a guide, for more information on foundation details for various surface see Part 7 of BS EN 1176.



Ground Fixed




Papilio Bells
Page 4 of 5



Components:

-  x6
M10x150 Bolt
-  x12
M10 Nut

Metric Conversion:
 50mm/2"
 220mm/8 21/32"
 250mm/10"
 350mm/14"
 550mm/22"
 600mm/24"
 989mm/3ft 2 15/16"
 1171mm/3ft 10 7/64"
 1195mm/3ft 11 3/64"



Compact base of hole with 50mm of aggregate. Lower ground Fix posts attached to instrument into hole (check instrument straight and level, and at correct height before filling with concrete)


Ground Fix Post Installation

Foundations should not present a hazard. These foundations are recommended as a guide, for more information on foundation details for various surface see Part 7 of BS EN 1176.





Ground Fixed

Papilio Bells
Page 5 of 5



3



Fill hole with fast drying concrete to manufacturers specifications. If posts protrude above instrument they can be cut down. Once concrete has set install the notes and beaters with fixings provided

Components:

-  x6
- M10x150 Bolt
-  x12
- M10 Nut

Metric Conversion:

- 50mm/2"
- 220mm/8 21/32"
- 250mm/10"
- 350mm/14"
- 550mm/22"
- 600mm/24"
- 1200mm/3ft 11 1/4"
- 2400mm/7ft 10 31/64"